



FIG.3




FIG. 4




FIG. 5




FIG.6




FIG.7




FIG.8




FIG. 9A




FIG. 9B






FIG. 10A





FIG. 10B




[illegible]

FIG.12




FIG.13




FIG.14




FIG.15





FIG.16



Case	Age	Sex	Occupation	Duration of Illness	Site of Lesion	Microscopic Findings	Diagnosis
1	45	M	Farmer	10 years	Right lower lobe	Granulomatous inflammation with caseation	Tuberculosis
2	35	F	Teacher	5 years	Left upper lobe	Granulomatous inflammation with caseation	Tuberculosis
3	55	M	Engineer	15 years	Right upper lobe	Granulomatous inflammation with caseation	Tuberculosis
4	65	F	Homemaker	20 years	Left lower lobe	Granulomatous inflammation with caseation	Tuberculosis
5	40	M	Student	3 years	Right upper lobe	Granulomatous inflammation with caseation	Tuberculosis
6	50	F	Teacher	12 years	Left upper lobe	Granulomatous inflammation with caseation	Tuberculosis
7	60	M	Engineer	18 years	Right lower lobe	Granulomatous inflammation with caseation	Tuberculosis
8	70	F	Homemaker	25 years	Left lower lobe	Granulomatous inflammation with caseation	Tuberculosis
9	42	M	Student	4 years	Right upper lobe	Granulomatous inflammation with caseation	Tuberculosis
10	52	F	Teacher	14 years	Left upper lobe	Granulomatous inflammation with caseation	Tuberculosis






FIG.18  
PRIOR ART




FIG.19  
PRIOR ART

